PID efficiency study -- tdr25.3.0

- Z->qq K combined PID efficiency/purity under CEPCSW_tdr25.3.0
  - Select particles without decaying and have tpc and tof tracks
  - >1GeV and |costheta|<0.85: ~ 89.4%/85.9%
  - >1GeV and 0.99>|costheta|>0.85: ~ 32.7%/35.2%



PID efficiency study -- tdr25.1.2

- ParticleGun K combined PID efficiency under CEPCSW_tdr25.1.2
  - Select particles without decaying and have 1 track (tpc and tof track)
  - 1-10GeV and 35/45/55/65/75/85/89 degree: ~ 89.6%
  - 1-10GeV and 25 degree: ~ 87.3%
  - 1-10GeV and 15 degree: ~ 51.4%
- Z->qq K combined PID efficiency/purity under CEPCSW_tdr25.1.2
  - Select particles without decaying and have tpc and tof tracks
  - >1GeV and |costheta|<0.85: ~ 89.3%/86.0%
  - >1GeV and 0.99>|costheta|>0.85: ~ 81.7%/74.8%





PID efficiency of 25.3.0













15 degree (left) VS 45 degree (middle) VS 85 degree (right)
Z->qq K- TRK/PID efficiency

PID efficiency of 25.1.2













15 degree (left) VS 45 degree (middle) VS 85 degree (right)
Z->qq K- TRK/PID efficiency

PID efficiency study -- tdr25.3.0

- Z->qq K combined PID efficiency/purity under CEPCSW_tdr25.3.0
  - Select particles without decaying and have tpc or tof tracks
  - >1GeV and |costheta|<0.85: ~ 88.2%/79.4%
  - >1GeV and 0.99>|costheta|>0.85: ~ 66.8%/47.2%





PID efficiency study -- tdr25.1.2

- ParticleGun K combined PID efficiency under CEPCSW_tdr25.1.2
  - Select particles without decaying and have 1 track (tpc or tof track)
  - 1-10GeV and 35/45/55/65/75/85/89 degree: ~ 89.1%
  - 1-10GeV and 25 degree: ~ 85.9%
  - 1-10GeV and 15 degree: ~ 51.1%
- Z->qq K combined PID efficiency/purity under CEPCSW_tdr25.1.2
  - Select particles without decaying and have tpc or tof tracks
  - >1GeV and |costheta|<0.85: ~ 88.4%/80.1%
  - >1GeV and 0.99>|costheta|>0.85: ~ 76.6%/61.1%





PID efficiency of 25.3.0













15 degree (left) VS 45 degree (middle) VS 85 degree (right)
Z->qq K- TRK/PID efficiency

PID efficiency of 25.1.2













15 degree (left) VS 45 degree (middle) VS 85 degree (right)
Z->qq K- TRK/PID efficiency

Backup

$$\chi_{\mathrm{TPC}}(i) = \frac{(dN/dx)_{\mathrm{meas}} - (dN/dx)^{i}_{\mathrm{exp}}}{\sigma_{(dN/dx)_{\mathrm{meas}}}}, i = \pi/K/p$$

$$\chi_{\mathrm{ToF}}(i) = \frac{t_{\mathrm{meas}} - t^{i}_{\mathrm{exp}}}{\sigma_{t_{\mathrm{meas}}}}, \sigma_{t_{\mathrm{meas}}} = \sqrt{0.05^2 + 0.02^2}$$

$$\chi^2_{\mathrm{comb}}(i) = \chi^2_{\mathrm{TOF}}(i) + \chi^2_{\mathrm{TPC}}(i)$$

$$\mathrm{Efficiency}_{\mathrm{trk}}(\mathrm{TPC}) = \frac{N^{\mathrm{TPC}}_{\mathrm{trk}}}{N^{\mathrm{reco}}_{\mathrm{trk}}}$$

$$\mathrm{Efficiency}_{\mathrm{PID}}(i) = \frac{N^{\mathrm{TPC}}_{\mathrm{trk}(i)}\left(\chi^2(i) < \chi^2(j)\right)}{N^{\mathrm{TPC}}_{\mathrm{trk}(i)}} (j \neq i)$$

$$\mathrm{purity}(K) = \frac{N_{K\to K}}{N_{K\to K} + N_{\pi\to K} + N_{p\to K}}$$

$$\mathrm{Efficiency}_{\mathrm{opti.\ PID}}(i) = \frac{N^{\mathrm{TPC}}_{\mathrm{trk}(i)}(a < \chi(i \to i) < b)}{N^{\mathrm{TPC}}_{\mathrm{trk}(i)}}$$

$$\text{Separation power: } O_{AB} = \frac{|\mathrm{A} - \mathrm{B}|}{\sqrt{(\sigma_A^2 + \sigma_B^2)/2}}$$

$$\text{Combined: } \sqrt{O^2_{AB,\,\mathrm{TPC}} + O^2_{AB,\,\mathrm{TOF}}}$$