# AGN Reverberation Mapping: the pc Scale Garden of Massive Black Holes

Monday, 24 October 2016 - Wednesday, 26 October 2016

Lijiang

# Book of Abstracts

# Contents

Opening Remarks . . . . . 1

Changing the reverberation mapping paradigm - the path for future progress . . . . . 1

Super-Eddington accreting massive black holes project: overview . . . . . 1

On the UV/optical variations of active galactic nuclei . . . . . 1

Velocity-delay mapping methods with application to NGC 5548 . . . . . 1

Variability in AGN polarized spectra - a view to the BLR and torus structure . . . . . 1

Reverberation mapping of super-Eddington accreting massive black holes . . . . . 1

Fe II reverberation in active galactic nuclei . . . . . 1

Quasar RM with the Maunakea Spectroscopic Explorer . . . . . 2

Application of the maximum entropy method to sample of SEAMBH2012 . . . . . 2

Optical emission-line analysis from the AGN STORM program . . . . . 2

The Sloan Digital Sky Survey reverberation mapping (SDSS-RM) project . . . . . 2

An overview of photometric reverberation mapping . . . . . 2

High-z quasar black hole mass with photometric RM at 2.4m TNT . . . . . 2

A comprehensive study of BAL quasars. I. Prevalence of He I* absorption line multiplets in low-ionization objects . . . . . 2

What do we really know about the broad-line region? . . . . . 3

Radiation pressure confinement and the structure of the inner torus . . . . . 3

Optical and IR reverberation mapping of QSOs with SPHEREx . . . . . 3

Dynamical modeling of BLR and black hole mass measurements of AGNs . . . . . 3

Calculation of echo images from first principles: self-consistently combining photoionization modeling and astrophysical fluid dynamical simulations . . . . . 3

Constraining the parameters of a disk-wind model . . . . . 3

Relative wavelengths independence of IR lags in NGC 4151 during 2010-2015 . . . . . 3

Exceptional X-ray weak quasars and their implications for accretion flows, winds and BLR . . . 3

BH mass of the most luminous quasar in the early Universe . . . 4

Coevolution of AGNs and their host galaxies in the 7 Ms CDF-S . . . 4

Uncertainties in black hole mass measurements . . . 4

Accretion disk RM, and measuring distances to AGN . . . 4

Dust reverberation of AGNs and its cosmological application: recent results from the MAGNUM project . . . 4

OzDES reverberation mapping project . . . 4

Summary talk and discussion . . . 4

**21**

## Opening Remarks

**BLR RM / 22**

## Changing the reverberation mapping paradigm - the path for future progress

**BLR RM / 23**

## Super-Eddington accreting massive black holes project: overview

**BLR RM / 24**

## On the UV/optical variations of active galactic nuclei

**BLR RM / 25**

## Velocity-delay mapping methods with application to NGC 5548

**BLR RM / 26**

## Variability in AGN polarized spectra - a view to the BLR and torus structure

**BLR RM / 27**

## Reverberation mapping of super-Eddington accreting massive black holes

**Corresponding Author:** dupu@ihep.ac.cn

**BLR RM / 28**

## Fe II reverberation in active galactic nuclei

**Corresponding Author:** huc@ihep.ac.cn

**BLR RM / 29**

## Quasar RM with the Maunakea Spectroscopic Explorer

**BLR RM / 30**

## Application of the maximum entropy method to sample of SEAMBH2012

**BLR RM / 31**

## Optical emission-line analysis from the AGN STORM program

**BLR RM / 32**

## The Sloan Digital Sky Survey reverberation mapping (SDSS-RM) project

**BLR RM / 33**

## An overview of photometric reverberation mapping

**BLR RM / 34**

## High-z quasar black hole mass with photometric RM at 2.4m TNT

**BLR RM / 35**

## A comprehensive study of BAL quasars. I. Prevalence of He I* absorption line multiplets in low-ionization objects

**BLR RM / 36**

## What do we really know about the broad-line region?

**BLR RM / 37**

## Radiation pressure confinement and the structure of the inner torus

**BLR RM / 38**

## Optical and IR reverberation mapping of QSOs with SPHEREx

**BLR RM / 39**

## Dynamical modeling of BLR and black hole mass measurements of AGNs

**Corresponding Author:** liyanrong@ihep.ac.cn

**BLR RM / 40**

## Calculation of echo images from first principles: self-consistently combining photoionization modeling and astrophysical fluid dynamical simulations

**BLR RM / 41**

## Constraining the parameters of a disk-wind model

**Torus RM & Coevolution / 42**

## Relative wavelengths independence of IR lags in NGC 4151 during 2010-2015

**Torus RM & Coevolution / 43**

## Exceptional X-ray weak quasars and their implications for accretion flows, winds and BLR

**Torus RM & Coevolution / 44**

## BH mass of the most luminous quasar in the early Universe

**Torus RM & Coevolution / 45**

## Coevolution of AGNs and their host galaxies in the 7 Ms CDF-S

**Torus RM & Coevolution / 46**

## Uncertainties in black hole mass measurements

**Cosmology / 47**

## Accretion disk RM, and measuring distances to AGN

**Cosmology / 48**

## Dust reverberation of AGNs and its cosmological application: recent results from the MAGNUM project

**Cosmology / 49**

## OzDES reverberation mapping project

**50**

## Summary talk and discussion