

Status of 4Top analysis

Huiling Hua¹, Fabio Iemmi¹, Dugan Leggat², Hongbo Liao¹, Hideki Okawa², Yu Zhang²

1,IHEP, 2,Fudan University

February 23, 2022

Normalization

- We apply FixedWP b-tagging SF in 1Tau0L/1Tau3L/2Tau0L and b-tagging shape SF in 1Tau1L/1Tau2L/2Tau1L/2Tau2L.
- Events weight :
 $w_i = w_{gen} * w_{prefire} * w_{PU} * w_{e, reco, id} * w_{mu, reco, id, iso} * w_{tau, id} * w_{btag}$
- normalization in 1Tau0L/1Tau3L/2Tau0L
 $yield = lumi * cross_section \frac{\sum_{pass} w_i}{\sum_{total} w_{gen}}$
- normalization in 1Tau1L/1Tau2L/2Tau1L/2Tau2L
 $yield = lumi * cross_section \frac{\sum_{pass} w_i}{\sum_{total} w_{gen} * w_{btag}}$
- The uncertainty of shape SF is much larger than fixedWP SF.
- In my tables and plots, HT cut is 400 GeV. It should be 450 GeV. I will correct it in next iteration.

Expected yield


category	Data	signal	ttbar	Single top	TTX	QCD	(data-mc)/mc
cat1	7121.00	4.19	2567.48	181.90	72.07	2133.55	0.437
cat2	1008.00	4.01	954.65	65.10	40.86	7.54	-0.056
cat3	25.00	0.72	17.05	0.86	7.87	0.00	-0.030
cat4	1.00	0.03	0.00	0.00	0.36	0.00	1.743
cat5	103.00	0.17	64.00	5.03	5.52	3.56	0.319
cat6	2.00	0.08	4.73	0.01	1.77	0.00	-0.693
cat7	0.00	0.01	0.00	-0.00	0.11	0.00	-1.000

Table: 2016preAPV, corresponding to 19.5 fb^{-1}


category	Data	signal	ttbar	Single top	TTX	QCD	(data-mc)/mc
cat1	5722.00	3.30	2041.00	136.63	56.96	898.71	0.826
cat2	758.00	2.86	674.63	42.07	39.05	0.00	0.003
cat3	15.00	0.54	12.05	0.17	7.29	0.00	-0.231
cat4	0.00	0.03	0.02	0.00	0.53	0.00	-1.000
cat5	89.00	0.14	46.94	5.47	4.09	4.70	0.454
cat6	4.00	0.06	3.26	0.04	1.59	0.00	-0.181
cat7	0.00	0.00	0.00	-0.00	0.16	0.00	-1.000

Table: 2016postAPV, corresponding to 16.5 fb^{-1}

2016preAPV 1Tau1L




(a) N_{jet}




(b) N_{bjet}


2016preAPV 1Tau1L




(a) pT_{j5}



(b) pT_{j6}




(c) average of 4 highest b score




(d) geometrical average fo 4 highest b score


2016preAPV 1Tau2L




(a) N_{jet}



(b) N_{bjet}




(c) average of 4 highest bscore




(d) geometrical average of 4 highest bscore

2016preAPV 2Tau0L




(a) N_{jet}




(b) N_{bjet}


2016preAPV 2Tau0L




(a) pT_{j5}



(b) pT_{j6}




(c) average of 4 highest b score




(d) geometrical average of 4 highest b score

2016postAPV 1Tau1L




(a) N_{jet}




(b) N_{bjet}


2016postAPV 1Tau1L




(a) pT_{j5}



(b) pT_{j6}




(c) average of 4 highest b score




(d) geometrical average fo 4 highest b score


2016postAPV 1Tau2L




(a) N_{jet}



(b) N_{bjet}




(c) average of 4 highest bscore




(d) geometrical average of 4 highest bscore

2016postAPV 2Tau0L




(a) N_{jet}




(b) N_{bjet}


2016postAPV 2Tau0L




(a) pT_{j5}



(b) pT_{j6}



(c) average of 4 highest b score



(d) geometrical average of 4 highest b score