



Weekly update

Abdualazem Fadol


March 24, 2023



中国科学院高能物理研究所
Institute of High Energy Physics
Chinese Academy of Sciences



Quantum Fourier Transform



- Quantum Fourier Transform (QFT) consist of:
- A single-qubit Hadamard gate (H)
 - A two-qubit controlled rotation CP


$$CP(\theta) = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & e^{i\theta} \end{bmatrix}$$

$$\theta = \pi/2^{k-1}$$


Counting in the Fourier basis on the Bloch Sphere

2.1 Counting in the Fourier basis:

In the computational basis, we store numbers in binary using the states $|0\rangle$ and $|1\rangle$:




Note the frequency with which the different qubits change; the leftmost qubit flips with every increment in the number, the next with every 2 increments, the third with every 4 increments, and so on. In the Fourier basis, we store numbers using different rotations around the Z-axis:





The number we want to store dictates the angle at which each qubit is rotated around the Z-axis. In the state $|0\rangle$, all qubits are in the state $|+\rangle$. As seen in the example above, to encode the state $|\bar{5}\rangle$ on 4 qubits, we rotated the leftmost qubit by $\frac{5}{2^0} = \frac{5}{16}$ full turns ($\frac{5}{16} \times 2\pi$ radians). The next qubit is turned double this ($\frac{10}{16} \times 2\pi$ radians, or $10/16$ full turns), this angle is then doubled for the qubit after, and so

The implementation of QFT in ML





- We add a additional rotation in front of each qubit $R_x(\vec{x}_i)/R_y(\vec{x}_i)$.
- We should avoid the rotation around the z-axis since the Fourier basis rotate around it.
- Using a few qubits would work well with the QFT.
- However, the problem is how to scale this with the n-qubit case?

The implementation of QFT in ML



- Using 6 qubits along with the QFT and an additional $R_x(\bar{x}_i)$ gate.
- Testing a few events—200 (left) and 1000 (right) events.

The implementation of QFT in ML




- 2000 (left) and 4000 (right) events with 6 qubits.
- The right plot looks a bit strange as the QSVM gets more worst by adding more events.

The implementation of QFT in ML

Checking the scalability of QFT with 12 qubits



7



The implementation of QFT in ML

Checking the scalability of QFT with 12 qubits



8



□ 200 (left) and 1000 (right) events with 12 qubits.

The implementation of QFT in ML

Checking the scalability of QFT with 15 qubits




□ 1000 events with 15 qubits (left) and 4000 (left) with 12 qubits.

The implementation of QFT in ML

Checking the scalability of QFT with 15 qubits

10



□ 6000 events with 15 qubits.

- Encoded QFT gives results comparable to the classical SVM with 6 qubits.
- And it's very well scalable to up to 15 qubits.
- There are a fewer parameters to optimise on such as $R_x(\vec{x}_i)$ and the two-qubit controlled rotation gate (θ)