Contribution ID: 140

Type: Talk

## Probing Neutral Triple Gauge Couplings at the LHC, CEPC and SPPC

We study probes of neutral triple gauge couplings (nTGCs) at the LHC, CEPC and SPPC. The nTGCs provide a unique window to the new physics beyond the Standard Model (SM) because they can arise from SM effective field theory (SMEFT) operators that respect the full electroweak gauge group  $SU(2)_L \otimes U(1)_Y$  of the SM only at the level of dimension-8 or higher. We derive the neutral triple gauge vertices (nTGVs) generated by these dimension-8 operators in the broken phase and map them onto a newly generalized form factor formulation, which takes into account only the residual  $U(1)_{\rm em}$  gauge symmetry. Using this mapping, we derive new relations between the form factors that guarantee a truly consistent form factor formulation of the nTGVs and remove large unphysical energy-dependent terms. We then analyze the sensitivity reaches of the LHC, CEPC and SPPC for probing the nTGCs via both the dimension-8 nTGC operators and the corresponding nTGC form factors. We compare their sensitivities with the existing LHC measurements of nTGCs and with those of future colliders.

Primary authors: ELLIS, John; HE, Hong-Jian; XIAO, Rui-Qing Presenter: XIAO, Rui-Qing

Session Classification: BSM

Track Classification: Physics: 10: Physics beyond the SM