中国物理学会高能物理分会第十四届全国粒子物理学术会议(2024)

Contribution ID: 349

Testing Electroweak Phase Transition and Dark Matter Phenomenology at the LHC

The Standard Model extended with a complex or real singlet scalar can admit a strong first order electroweak phase transition as needed for electroweak baryogenesis. The real singlet component that mixes with the Standard Model Higgs boson leads to the possibility of di-Higgs and di-boson final states in pp collisions. The complex component can provide a dark matter (DM) candidate that leads to the possibility of a b⁻b+MET final state, which is a brand new search channel at the LHC.

Focusing on these channels, I will discuss the prospective reach at the LHC for a heavy singlet-like scalar in regions of (c)xSM parameter space compatible with a SFOEWPT (and DM phenomenology).

Primary authors: LIU, Kun (Tsung-Dao Lee Institute, Shanghai Jiao Tong University); RAMSEY-MUSOLF, Michael (Shanghai Jiao Tong University); 张,文星 (Shanghai Jiao Tong University); 张 (ZHANG), 雷 (Lei) (南京 大学 (Nanjing University))

Presenter: 张, 文星 (Shanghai Jiao Tong University)

Session Classification: 分会场一

Track Classification: TeV 物理和超出标准模型新物理