CEPC

Jets, samples and Wednesday working meeting

Kaili Zhang

zhangkl@ihep.ac.cn

- Determine TDR draft before 14th for Barcelona;

- CEPC Plot style

Plot Style Usage

- Root CEPCStyle() and Python mplstyle;
- Then please add CEPC Ref-TDR logo.

```
Python_Style:
total 16K
-rwxrwxrwx 1 primez primez 1.7K Jun  3 15:59 README.md
-rwxrwxrwx 1 primez primez 1.2K Jun  3 15:59 cepc_style.mplstyle
-rwxrwxrwx 1 primez primez 4.7K Jun  3 15:59 examples.py
drwxrwxrwx 1 primez primez 4.0K Jun  4 13:46 sample_figures

Root_Style:
total 148K
-rwxrwxrwx 1 primez primez 9.8K May 31 21:00 CEPCStyle.h
-rwxrwxrwx 1 primez primez  15K May 31 21:01 E_tau.pdf
-rwxrwxrwx 1 primez primez  24K May 31 21:01 E_tau.png
-rwxrwxrwx 1 primez primez  45K May 31 21:01 E_tau_Costheta.pdf
-rwxrwxrwx 1 primez primez  41K May 31 21:01 E_tau_Costheta.png
-rwxrwxrwx 1 primez primez 1.8K May 31 20:59 InputsTDR.cxx
```

Ideas for style

- Larger font size. (In 1200*900 pixels, font size to be 60 pixels).

- Use PDF, single plot 0.5/textwidth in LaTeX.





Others

- Tau tagger: use 1X sample size training: bcuds performance get back.
  - Adding tau tagger in Zpole JOI no side effect for bcuds tagging.
- Zpole AFB study start
  - @Lei Zhang, @Christian, @Minqia.
  - Using existing sample for start.