


Search for SUSY with same-sign or three leptons and jets at $\sqrt{s} = 13 \text{ TeV}$

Huajie Cheng, Shan Jin, Yang Liu, Feng Lyu,
Huan Ren, Da Xu, Peng Zhang, Xuai Zhuang
IHEP(China)
2016.Dec.18th

Analysis motivation

Search gluino and squark initiated decay chains with multi-leptons in the final state

- ◆ Natural SUSY signature:
 - gluino, stop and sbottom masses expected to be at TeV scale .
- ◆ **Gluinos** are majorana particles:
 - allow for same-sign lepton pair production
- ◆ Rare processes in Standard Model:
 - very low background expectation.



Signal Region definition

Signal scenario:

- **Same-sign** (SS) lepton pairs or **three leptons** (3L)
+ jets ($p_T > 25, 40, 50$ GeV) and/or b-jets ($p_T > 20$ GeV)

- ◆ large E_T^{miss} , $M_{\text{eff}} = \sum p_T^{\text{lep}} + \sum p_T^{\text{jet}} + E_T^{\text{miss}}$
(high kinematic regions)

RPC Signal regions


6 RPC signal regions defined as a function of b-jet & lepton multiplicity:

SR	N_ℓ	$N_{b\text{-jets}}^{20}$	N_{jets}	p_T^{jets}	E_T^{miss} [GeV]	m_{eff} [GeV]
SR3L1	≥ 3	$= 0$	≥ 4	40	> 150	-
SR3L2	≥ 3	$= 0$	≥ 4	40	> 200	1500
SR0b1	≥ 2	$= 0$	≥ 6	25	> 150	> 500
SR0b2	≥ 2	$= 0$	≥ 6	40	> 150	> 900
SR1b	≥ 2	≥ 1	≥ 6	25	> 200	> 650
SR3b	≥ 2	≥ 3	≥ 6	25	> 150	> 600

RPV signal regions

3 RPV signal regions also defined, as a function of b-jets and jet multiplicity

SR	N_ℓ	$N_{b\text{-jets}}^{20}$	N_{jets}	p_T^{jets}	E_T^{miss} [GeV]	m_{eff} [GeV]	Other
SR1b-DD	≥ 2	≥ 1	≥ 4	50	-	>1200	≥ 2 negatively-charged leptons
SR3b-DD	≥ 2	≥ 3	≥ 4	50	-	>1000	≥ 2 negatively-charged leptons
SR1b-GG	≥ 2	≥ 1	≥ 6	50	-	>1800	-



RPV SUSY processes featuring gluino (a,b) or down squark (c,d) pair production and decays via baryon number-violating couplings λ'' considered in this analysis.

Background estimation

background events with prompt SS/3l :

- ✓ $t\bar{t}W, t\bar{t}Z$
- ✓ **Diboson (dominant in 0b SRs)**
- ✓ **Other rare process**
 $t\bar{t}H, t\bar{t}t\bar{t}, t\bar{t}t, tZ, t\bar{t}WW, tWZ, Wh, Zh, \text{tri-boson}$

Estimated by Monte-Carlo simulation

- Dedicated VR for most of the backgrounds

Data-driven estimation for electron charge-midID background

- ◆ Events with OS lepton pair are assigned with weight: $w_{\text{flip}} = \xi_1(1 - \xi_2) + (1 - \xi_1)\xi_2$
where for muons: $\xi_{(i)} = 0$
- ◆ Charge-flip rate are measured using Z->ee events using likelihood method

Fake leptons(Dominant source in most of the SRs)


- ◆ Mainly from B hadrons decay (semi-leptonic ttbar process)

Estimated using pure data-driven - Matrix Method

- real efficiency \longrightarrow Z->ll tag-and-probe
- fake rate \longrightarrow data in CR enriched in ttbar.

$$\begin{pmatrix} n_{\text{pass}} \\ n_{\text{fail}} \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ \frac{1-\varepsilon}{\varepsilon} & \frac{1-\zeta}{\zeta} \end{pmatrix} \begin{pmatrix} n_{\text{real}} \\ n_{\text{fake}} \end{pmatrix}$$

Validation plots for SM background estimation



Uncertainties include statistical sources, as well as systematic uncertainties for the data-driven backgrounds; for illustration, statistical uncertainties alone are shown in the light-coloured error bands in the ratio plots.







Results in Signal Regions

Yields in signal regions.




- No excess observed

	SR3L1	SR3L2	SR0b1	SR0b2	SR1b	SR3b	SR1b-GG	SR1b-DD	SR3b-DD
Observed	6	2	5	0	12	2	2	12	4
Total SM	6.05 ± 2.15	1.18 ± 0.49	8.81 ± 2.87	1.57 ± 0.77	11.40 ± 2.76	1.60 ± 0.61	1.69 ± 0.57	12.03 ± 2.68	1.86 ± 0.75
ttZ	0.69 ± 0.25	0.10 ± 0.04	0.45 ± 0.18	0.10 ± 0.04	1.58 ± 0.55	0.19 ± 0.07	0.26 ± 0.08	2.81 ± 0.89	0.30 ± 0.10
ttW	0.09 ± 0.04	0.02 ± 0.01	0.45 ± 0.17	0.13 ± 0.06	1.97 ± 0.68	0.17 ± 0.06	0.33 ± 0.11	1.81 ± 0.58	0.18 ± 0.07
Diboson	4.18 ± 1.96	0.70 ± 0.43	3.72 ± 1.86	0.71 ± 0.52	0.47 ± 0.41	0.00 ± 0.00	$0.08^{+0.19}_{-0.09}$	0.61 ± 0.42	0.00 ± 0.00
Rare	0.80 ± 0.44	0.21 ± 0.13	0.76 ± 0.44	0.18 ± 0.12	2.69 ± 0.90	0.89 ± 0.31	0.64 ± 0.34	2.57 ± 1.32	0.76 ± 0.40
Fakes	0.29 ± 0.29	0.15 ± 0.15	2.92 ± 1.97	0.37 ± 0.53	3.25 ± 2.08	$0.20^{+0.49}_{-0.48}$	$0.21^{+0.33}_{-0.32}$	2.48 ± 1.66	0.48 ± 0.59
MisCharge	0.00 ± 0.00	0.00 ± 0.00	0.50 ± 0.09	0.08 ± 0.03	1.43 ± 0.19	0.14 ± 0.03	0.18 ± 0.07	1.74 ± 0.22	0.14 ± 0.03

MET distributions for PRV SRs without the Meff cut – RPC SRs





Meff distributions for PRV SRs without the Meff cut – RPV SRs





Interpretation

– Gtt and direct sbottom







Interpretation

– 2step via W/Z/sleptons



Interpretation – RPV SRs



conclusion

- ◆ We presented a search for the production of gluinos and squarks in $\sqrt{S} = 13\text{TeV}$ pp collisions, in final states with jets and same-sign leptons.
- ◆ Data to SM expectations in 9 SRs shows **no significant excess**.
- ◆ We set exclusion limits on the masses of gluinos, bottom squarks and neutralinos in various benchmark scenarios, **extending significantly** the limits set previously.
- ◆ One paper EPJC(2016)76(5), 1-26 published based on 2015 data
- ◆ CONF number of ICHEP: ATLAS-CONF-2016-037

backup

Data/ & MC samples

- **Data(5.80fb-1)**

- ◆ **2015 data(3.19fb-1)**: reconstruction 20.7.3.8 (tag r7562), derivation 20.7.6.4 (tag r2667)
- ◆ **2016 data(2.61fb-1)**: derivation 20.7.6.4 (tag r2667)
 - ◆ Period A: reconstruction 20.7.5.8 – 20.7.6.4 (tags f694-f706)
 - ◆ Period B: reconstruction 20.7.6.4 (tags f705-f708)

- **Monte Carlo**

- ◆ All generated with **25-ns** bunch spacing configuration, derivation 20.7
- ◆ $t\bar{t}W$ with 0-2 extra partons $t\bar{t}Z/\gamma^*$ with 0-1 extra partons
- ◆ WZ ZZ $W^\pm W^\pm$ tree-induced qq->VV, loop induced gg->VV , EWK production VBS
- ◆ Rare process: $t\bar{t}H, t\bar{t}t\bar{t}, t\bar{t}t, tZ, t\bar{t}WW, tWZ, Wh, Zh$

- **Analysis framework**

- ◆ Based on the SUSYAnalysisExample EventLoop package and various tags of SUSYTools up to 00-07-69 and analysis release up to

Object definition & event selections

Object selections

	Pre-selected Electron	Pre-selected Muon
Acceptance	$p_T > 10 \text{ GeV}, \eta^{\text{clust}} < 2.47$ except $1.37 < \eta^{\text{clust}} < 1.52$	$p_T > 10 \text{ GeV}, \eta < 2.5$
Quality	LooseAndBLayerLLH	xAOD::Muon::Medium
ℓ -jet Isolation	see section 4.4	
Impact parameter	$ d_0/\sigma(d_0) < 5.0$	
	Signal Electron	Signal Muon
Quality	MediumLLH $ \eta < 2.0$	- -
Isolation	“FixedCutTight”	“FixedCutTightTrackOnly”
Impact parameter	$ z_0 \cdot \sin(\theta) < 0.5 \text{ mm}$	$ z_0 \cdot \sin(\theta) < 0.5 \text{ mm}$ $ d_0/\sigma(d_0) < 3.0$

Pre-selected jet	
Collection	AntiKt4EMTopo
Acceptance	$p_T > 20 \text{ GeV}, \eta < 2.8$
Overlap	see section 4.4
Jet vertex tagger	reject jets with $p_T < 60 \text{ GeV}, \eta < 2.4$ and JVT<0.59 after overlap removal
b-jets	
Acceptance	$p_T > 20 \text{ GeV},$ $ \eta < 2.5$
b-tagging	MV2c10 algorithm 70% OP MV2c10 algorithm 85% OP for overlap removal

Event selections:

- Cleaning requirements

Bad jet, bad muons and cosmic muons

- At least 2 leptons

At least 2 signal leptons

2 leading leptons have $p_T > 20 \text{ GeV}$

- Then sorted into 3l events or SS2l events:

- ✓ Event containing a 3rd signal-lepton with $p_T > 10 \text{ GeV}$ is regarded as **3l event**
- ✓ Otherwise, if the 2 leading leptons have identical charge, the event is regarded as **SS2l events**

triggers

Trigger strategy - data

- 2015 data with $E_T^{miss} < 250\text{GeV}$:

logical **OR** of **dilepton** triggers

HLT_2e12_lhloose_L12EM10VH

HLT_e17_lhloose_mu14

HLT_mu18_mu8noL1

- 2015 data with $E_T^{miss} > 250\text{GeV}$:

logical OR of the dilepton triggers and HLT_xe70

- 2016 data with $E_T^{miss} < 250\text{GeV}$

logical **OR** of **dilepton** triggers

HLT_2e17_lhvloose

HLT_e17_lhloose_nod0_mu14

HLT_mu20_mu8noL1

- 2016 data with $E_T^{miss} > 250\text{GeV}$:

logical OR of the dilepton triggers and

HLT_xe80_tc_lcw_L1XE50

***will be switched to HLT_xe100_mht**

Trigger strategy – MC

chosen randomly between the two options(data2015 or data 2016)

according to the relative luminosities and $\langle\mu\rangle$ profiles of the 2015 and 2016 datasets

Trigger match

Considered only for signal leptons with $p_T > 20\text{GeV}$

Also for muons with $p_T > 10\text{ GeV}$ in the case of the dimuon trigger

Trigger scale factor

Will be consider for MC events not passing the E_T^{miss} triggers

Background estimation


background events with prompt SS/3l in the final state:

- ✓ $t\bar{t}W, t\bar{t}Z$
- ✓ **Diboson (dominant in 0b SRs)**
- ✓ **Other rare process**

$t\bar{t}H, t\bar{t}t\bar{t}, t\bar{t}t, tZ, t\bar{t}WW, tWZ, Wh, Zh, \text{tri-boson}$

Estimated by Monte-Carlo simulation

- Dedicated VR for most of the backgrounds



All systematic sources for RPC SRs

Uncertainty of channel	SR3L1
Total background expectation	2.95
Total statistical ($\sqrt{N_{exp}}$)	± 1.72
Total background systematic	± 0.85 [28.72%]

alpha_theoryUncertWZ_SR3L1	± 0.62
gamma_stat_SR3L1_cuts_bin_0	± 0.49
alpha_JET_reso	± 0.29
alpha_JET_scale_NP1	± 0.28
alpha_JET_scale_NP3	± 0.15
alpha_FT_JVT	± 0.14
Lumi	± 0.14
alpha_theoryUncertRare	± 0.11
alpha_theoryUncertTTbarV_SR3L1	± 0.11
alpha_pileupBKG	± 0.09
alpha_FT_B	± 0.07
alpha_elID	± 0.04
alpha_FT_Extra1	± 0.03
alpha_muSys	± 0.03
alpha_FT_Light	± 0.03
alpha_elIso	± 0.02
alpha_elReco	± 0.02
alpha_FT_C	± 0.01
alpha_muIsoSys	± 0.01
alpha_JET_scale_NP2	± 0.01
alpha_Mu_MS	± 0.01
alpha_MET_Soft_reso_Para	± 0.01
alpha_Mu_Scale	± 0.01
alpha_muStat	± 0.01
alpha_EG_Resolution	± 0.01
alpha_EG_Scale	± 0.01
alpha_muIsoStat	± 0.00
alpha_theoryUncertOtherMB	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_MET_Soft_Scale	± 0.00
alpha_Mu_ID	± 0.00
alpha_FT_Extra2	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_muSys_lowpt	± 0.00

Uncertainty of channel	SR3L2
Total background expectation	0.86
Total statistical ($\sqrt{N_{exp}}$)	± 0.93
Total background systematic	± 0.42 [48.46%]

gamma_stat_SR3L2_cuts_bin_0	± 0.36
alpha_theoryUncertWZ_SR3L2	± 0.17
alpha_pileupBKG	± 0.13
alpha_JET_scale_NP1	± 0.06
alpha_JET_reso	± 0.06
alpha_JET_scale_NP3	± 0.05
Lumi	± 0.04
alpha_theoryUncertRare	± 0.03
alpha_FT_JVT	± 0.03
alpha_FT_Extra1	± 0.02
alpha_JET_scale_NP2	± 0.02
alpha_FT_B	± 0.02
alpha_theoryUncertTTbarV_SR3L2	± 0.02
alpha_muSys	± 0.01
alpha_Mu_ID	± 0.01
alpha_FT_Light	± 0.01
alpha_elIso	± 0.01
alpha_elID	± 0.01
alpha_FT_C	± 0.00
alpha_muIsoSys	± 0.00
alpha_EG_Scale	± 0.00
alpha_elReco	± 0.00
alpha_muStat	± 0.00
alpha_MET_Soft_reso_Para	± 0.00
alpha_EG_Resolution	± 0.00
alpha_Mu_MS	± 0.00
alpha_muIsoStat	± 0.00
alpha_FT_Extra2	± 0.00
alpha_theoryUncertOtherMB	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_Mu_Scale	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_MET_Soft_Scale	± 0.00

Uncertainty of channel	SR0b1
Total background expectation	5.10
Total statistical ($\sqrt{N_{exp}}$)	± 2.26
Total background systematic	± 1.55 [30.48%]

alpha_syst_fake_SR0b1	± 1.40
gamma_stat_SR0b1_cuts_bin_0	± 1.08
alpha_JET_reso	± 0.47
alpha_theoryUncertWZ_SR0b1	± 0.44
alpha_JET_scale_NP1	± 0.36
alpha_Mu_MS	± 0.16
alpha_Mu_Scale	± 0.16
alpha_FT_JVT	± 0.15
alpha_pileupBKG	± 0.15
alpha_Mu_ID	± 0.15
alpha_JET_scale_NP2	± 0.13
alpha_theoryUncertRare	± 0.13
alpha_theoryUncertTTbarV_SR0b1	± 0.13
Lumi	± 0.12
alpha_JET_scale_NP3	± 0.11
alpha_FT_B	± 0.09
alpha_theoryUncertWWjj_SR0b1	± 0.06
alpha_FT_Extra1	± 0.04
alpha_elID	± 0.03
alpha_FT_Light	± 0.02
alpha_muSys	± 0.02
alpha_FT_C	± 0.02
alpha_elIso	± 0.01
alpha_MET_Soft_Scale	± 0.01
alpha_elReco	± 0.01
alpha_syst_misch_SR0b1	± 0.01
alpha_muIsoSys	± 0.01
alpha_JET_EtaIntercalibration	± 0.01
alpha_muStat	± 0.01
alpha_EG_Resolution	± 0.01
alpha_MET_Soft_reso_Para	± 0.00
alpha_muIsoStat	± 0.00
alpha_theoryUncertOtherMB	± 0.00
alpha_EG_Scale	± 0.00
alpha_FT_Extra2	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_muSys_lowpt	± 0.00

All systematic sources for RPC SRs

Uncertainty of channel	SR0b2
Total background expectation	0.68
Total statistical ($\sqrt{N_{\text{exp}}}$)	± 0.82
Total background systematic	± 0.25 [37.18%]
gamma_stat_SR0b2_cuts_bin_0	± 0.20
alpha_pileupBKG	± 0.10
alpha_JET_scale_NP1	± 0.07
alpha_theoryUncertWZ_SR0b2	± 0.07
alpha_JET_scale_NP3	± 0.04
alpha_theoryUncertTTbarV_SR0b2	± 0.03
alpha_FT_JVT	± 0.03
alpha_theoryUncertWWjj_SR0b2	± 0.03
alpha_theoryUncertRare	± 0.03
Lumi	± 0.02
alpha_FT_B	± 0.02
alpha_JET_scale_NP2	± 0.02
alpha_FT_Extra1	± 0.02
alpha_EG_Scale	± 0.01
alpha_JET_reso	± 0.01
alpha_MET_Soft_reso_Para	± 0.01
alpha_FT_C	± 0.01
alpha_MET_Soft_Scale	± 0.01
alpha_EG_Resolution	± 0.01
alpha_FT_Light	± 0.01
alpha_elID	± 0.01
alpha_muSys	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_elIso	± 0.00
alpha_muIsoSys	± 0.00
alpha_elReco	± 0.00
alpha_Mu_ID	± 0.00
alpha_Mu_MS	± 0.00
alpha_muStat	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_muIsoStat	± 0.00
alpha_FT_Extra2	± 0.00
alpha_theoryUncertOtherMB	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_Mu_Scale	± 0.00

Uncertainty of channel	SR1b
Total background expectation	6.37
Total statistical ($\sqrt{N_{\text{exp}}}$)	± 2.52
Total background systematic	± 1.61 [25.26%]
alpha_syst_fake_SR1b	± 1.35
gamma_stat_SR1b_cuts_bin_0	± 1.05
alpha_theoryUncertRare	± 0.59
alpha_theoryUncertTTbarV_SR1b	± 0.46
alpha_JET_scale_NP1	± 0.46
alpha_JET_reso	± 0.22
alpha_FT_JVT	± 0.22
Lumi	± 0.16
alpha_JET_scale_NP2	± 0.11
alpha_theoryUncertWZ_SR1b	± 0.10
alpha_JET_scale_NP3	± 0.09
alpha_FT_B	± 0.07
alpha_elID	± 0.04
alpha_syst_misch_SR1b	± 0.04
alpha_EG_Scale	± 0.03
alpha_elIso	± 0.03
alpha_muSys	± 0.02
alpha_MET_Soft_reso_Perp	± 0.02
alpha_FT_Extra1	± 0.02
alpha_pileupBKG	± 0.02
alpha_elReco	± 0.02
alpha_FT_C	± 0.01
alpha_MET_Soft_Scale	± 0.01
alpha_muIsoSys	± 0.01
alpha_Mu_ID	± 0.01
alpha_muStat	± 0.01
alpha_theoryUncertOtherMB	± 0.01
alpha_EG_Resolution	± 0.01
alpha_JET_EtaIntercalibration	± 0.00
alpha_Mu_MS	± 0.00
alpha_muIsoStat	± 0.00
alpha_FT_Light	± 0.00
alpha_Mu_Scale	± 0.00
alpha_FT_Extra2	± 0.00
alpha_MET_Soft_reso_Para	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_muStat_lowpt	± 0.00

Uncertainty of channel	SR3b
Total background expectation	0.91
Total statistical ($\sqrt{N_{\text{exp}}}$)	± 0.96
Total background systematic	± 0.55 [59.70%]
gamma_stat_SR3b_cuts_bin_0	± 0.50
alpha_syst_fake_SR3b	± 0.30
alpha_theoryUncertRare	± 0.19
alpha_FT_B	± 0.05
alpha_theoryUncertTTbarV_SR3b	± 0.04
alpha_FT_JVT	± 0.04
alpha_JET_scale_NP1	± 0.03
Lumi	± 0.03
alpha_FT_C	± 0.02
alpha_FT_Extra1	± 0.02
alpha_FT_Light	± 0.02
alpha_JET_reso	± 0.01
alpha_pileupBKG	± 0.01
alpha_JET_scale_NP3	± 0.01
alpha_syst_misch_SR3b	± 0.01
alpha_JET_scale_NP2	± 0.01
alpha_elID	± 0.01
alpha_muSys	± 0.00
alpha_elIso	± 0.00
alpha_EG_Scale	± 0.00
alpha_elReco	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_muIsoSys	± 0.00
alpha_muStat	± 0.00
alpha_Mu_ID	± 0.00
alpha_FT_Extra2	± 0.00
alpha_MET_Soft_reso_Para	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_MET_Soft_Scale	± 0.00
alpha_muIsoStat	± 0.00
alpha_Mu_Scale	± 0.00
alpha_EG_Resolution	± 0.00
alpha_Mu_MS	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_muStat_lowpt	± 0.00

All systematic sources for RPV SRs

Uncertainty of channel	SR_RPV1bGG
Total background expectation	1.43
Total statistical ($\sqrt{N_{\text{exp}}}$)	± 1.19
Total background systematic	± 0.37 [25.71%]

alpha_theoryUncertRare	± 0.24
gamma_stat_SR_RPV1bGG_cuts_bin_0	± 0.22
alpha_theoryUncertTTbarV_SR_RPV1bGG	± 0.14
alpha_JET_scale_NP1	± 0.09
alpha_FT_JVT	± 0.06
Lumi	± 0.05
alpha_JET_scale_NP2	± 0.02
alpha_EG_Scale	± 0.02
alpha_JET_scale_NP3	± 0.02
alpha_FT_B	± 0.02
alpha_FT_Extra1	± 0.02
alpha_JET_reso	± 0.01
alpha_elID	± 0.01
alpha_theoryUncertWZ_SR_RPV1bGG	± 0.01
alpha_elIso	± 0.01
alpha_muSys	± 0.01
alpha_FT_Light	± 0.01
alpha_FT_C	± 0.01
alpha_elReco	± 0.00
alpha_muIsoSys	± 0.00
alpha_syst_misch_SR_RPV1bGG	± 0.00
alpha_pileupBKG	± 0.00
alpha_muStat	± 0.00
alpha_MET_Soft_reso_Para	± 0.00
alpha_muIsoStat	± 0.00
alpha_Mu_ID	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_FT_Extra2	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_Mu_MS	± 0.00
alpha_EG_Resolution	± 0.00
alpha_MET_Soft_Scale	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_Mu_Scale	± 0.00

Uncertainty of channel	SR_RPV3bDD
Total background expectation	1.30
Total statistical ($\sqrt{N_{\text{exp}}}$)	± 1.14
Total background systematic	± 0.37 [28.88%]

alpha_theoryUncertRare	± 0.28
gamma_stat_SR_RPV3bDD_cuts_bin_0	± 0.20
alpha_theoryUncertTTbarV_SR_RPV3bDD	± 0.11
alpha_FT_B	± 0.08
alpha_FT_JVT	± 0.06
alpha_JET_scale_NP1	± 0.05
Lumi	± 0.05
alpha_FT_Extra1	± 0.04
alpha_FT_C	± 0.04
alpha_FT_Light	± 0.02
alpha_pileupBKG	± 0.02
alpha_JET_scale_NP2	± 0.02
alpha_EG_Scale	± 0.01
alpha_elID	± 0.01
alpha_JET_scale_NP3	± 0.01
alpha_muSys	± 0.01
alpha_elIso	± 0.01
alpha_FT_Extra2	± 0.01
alpha_MET_Soft_reso_Para	± 0.00
alpha_elReco	± 0.00
alpha_muIsoSys	± 0.00
alpha_muStat	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_EG_Resolution	± 0.00
alpha_muIsoStat	± 0.00
alpha_JET_reso	± 0.00
alpha_Mu_MS	± 0.00
alpha_MET_Soft_reso_Perp	± 0.00
alpha_MET_Soft_Scale	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_Mu_Scale	± 0.00
alpha_Mu_ID	± 0.00

Uncertainty of channel	SR_RPV1bDD
Total background expectation	9.93
Total statistical ($\sqrt{N_{\text{exp}}}$)	± 3.15
Total background systematic	± 2.18 [21.93%]
alpha_syst_fake_SR_RPV1bDD	± 2.03
gamma_stat_SR_RPV1bDD_cuts_bin_0	± 1.11
alpha_theoryUncertTTbarV_SR_RPV1bDD	± 1.07
alpha_theoryUncertRare	± 0.97
alpha_JET_scale_NP1	± 0.56
alpha_JET_reso	± 0.35
Lumi	± 0.31
alpha_FT_JVT	± 0.30
alpha_syst_misch_SR_RPV1bDD	± 0.20
alpha_JET_scale_NP2	± 0.16
alpha_pileupBKG	± 0.16
alpha_JET_scale_NP3	± 0.12
alpha_FT_B	± 0.12
alpha_theoryUncertOtherMB	± 0.10
alpha_elID	± 0.09
alpha_EG_Scale	± 0.08
alpha_elIso	± 0.06
alpha_muSys	± 0.06
alpha_FT_Extra1	± 0.06
alpha_theoryUncertWZ_SR_RPV1bDD	± 0.05
alpha_FT_Light	± 0.05
alpha_elReco	± 0.03
alpha_MET_Soft_reso_Para	± 0.02
alpha_FT_C	± 0.02
alpha_muIsoSys	± 0.02
alpha_muStat	± 0.01
alpha_Mu_MS	± 0.01
alpha_MET_Soft_reso_Perp	± 0.01
alpha_muIsoStat	± 0.01
alpha_FT_Extra2	± 0.01
alpha_Mu_ID	± 0.00
alpha_MET_Soft_Scale	± 0.00
alpha_Mu_Scale	± 0.00
alpha_JET_EtaIntercalibration	± 0.00
alpha_EG_Resolution	± 0.00
alpha_muSys_lowpt	± 0.00
alpha_muStat_lowpt	± 0.00
alpha_theoryUncertWWjj_SR_RPV1bDD	± 0.00

Results in Signal Regions - RPV

Yields in RPV signal regions.

- **No excess observed**
- Observed data and background expectation for 5.8 fb⁻¹
- And the background prediction normalized to 10 fb⁻¹

	SR1b-GG	SR1b-DD	SR3b-DD
Observed	0	3	1
Total SM	0.83 ± 0.25	5.76 ± 1.56	0.75 ± 0.25
WWjj	0.00 ± 0.00	$0.00^{+0.00}_{-0.00}$	0.00 ± 0.00
WZ	0.02 ± 0.02	$0.10^{+0.23}_{-0.12}$	0.00 ± 0.00
ttZ	0.12 ± 0.04	1.29 ± 0.41	0.13 ± 0.04
ttW	0.16 ± 0.05	0.85 ± 0.28	0.08 ± 0.04
Rare	0.29 ± 0.16	1.16 ± 0.60	0.34 ± 0.18
OtherMultiBoson	0.00 ± 0.00	0.19 ± 0.08	0.00 ± 0.00
Fakes	0.15 ± 0.15	1.18 ± 1.17	0.15 ± 0.15
MisCharge	0.09 ± 0.05	0.98 ± 0.16	0.05 ± 0.02