



Measurement of Branching Fractions of $\chi_{c0,1,2} \rightarrow \Sigma^- \overline{\Sigma}^+$ at BESIII

Irshad Muzaffar 勤奋

Supervisors: Prof. Huang Guangshun 黄光顺, Dr. Zhou Xiaorong 周小蓉

Department of Modern Physics

University of Science and Technology of China

Outline

>Motivation

➢Data Analysis

✓ Event Selection

 \checkmark Comparison between Data and MC

✓ Background Study

Systematic Uncertainty

>Preliminary Fitting results

≻Summary

Motivation

- Exclusive P-wave Charmonium states χ_{cJ} (J=0,1,2) $\rightarrow \Sigma^- \overline{\Sigma}^+$ into baryon-antibaryon pairs (B \overline{B}) are considered to be a favorable test of pQCD theory and also to test the color octet mechanism (COM).
- The χ_{cJ} meason are not produced directly in e^+e^- annihilations but assumed to process via annihilations of the constituents \overline{cc} pairs into three gluons or virtual photon.



Figure: Feynman graphs for $\psi(2S)$ decay into $B\overline{B}$ (a) Three-gluon contribution (b) Electromagnetic contribution.

- The large BFs of $\psi(2S) \rightarrow \gamma \chi_{cJ}$ make e^+e^- collision at the $\psi(2S)$ energy a very clean environment for χ_{cJ} investigation.
- BF of $\chi_{CJ} \rightarrow \Sigma^+ \overline{\Sigma}^-$ had been well measured by BesIII and CLEO. [https://arxiv.org/abs/1710.07922,PhysRevD.78.031101].
- Experimentally, no measurements for $\chi_{cJ} \rightarrow \Sigma^- \overline{\Sigma}^+$ has been performed yet.

Data Sets

- Boss Version:
 - Analysis Environment: Boss 664p03
- Data Sets:
 - > 107.0 M ψ ' of 2009 year and 341.1 M ψ ' of 2012 year
- Signal MC : Generated 1M Events.
 - ➢ MC Sample: Use KKMC Event Generator.
 - Decay Chain :

$$\checkmark \psi' \rightarrow \gamma \chi_{c0} \text{ in } P2GC0.$$

$$\checkmark \chi_{c0} \rightarrow \Sigma^{-} \overline{\Sigma}^{+} \text{ in } PHSP.$$

$$\checkmark \Sigma^{-} \rightarrow n\pi^{-} \text{ and } \overline{\Sigma}^{+} \rightarrow \overline{n}\pi^{+} \text{ are in } PHSP.$$

• Inclusive MC: 506 M ψ' MC, $\psi' \rightarrow$ Anything

Pre-Selection

• <u>Good Charged Tracks</u>:

- |V_z| < 30cm, |V_r| < 10cm and |Cosθ| ≤ 0.93, p>1.0 GeV/c
 N_{Good} = 2 and $\sum Q_i = 0$.
- **<u>PID</u>** : dE/dX + TOF

 $Prob_{\pi} > Prob_{p}$, $Prob_{\pi} > Prob_{k}$ and $N_{\pi^{-}} = N_{\pi^{+}} = 1$

Good Neutral Tracks:

 $\succ E_{barrel} > 80 MeV; E_{endcap} > 80 MeV$

≻At least 2 photons tracks $N_{\gamma} \ge 2$ (1 for Gamma, 1 for Anti-Neutron).

The most energetic shower consider as \overline{n} candidate, $E_{\overline{n}} > 0.2$ GeV, numHits>20,Secmom>20.

• <u>Further Slection :</u>

> Do Kinematics Fit 1C : $\gamma \chi_{c0,1,2} \rightarrow \gamma \Sigma^{-} \overline{\Sigma}^{+}$

≻ For N_γ ≥ 2: Minimum $\chi^2_{1C}(\gamma \Sigma^- \overline{\Sigma}^+)$ is chosen

Comparison b/w Data and Signal MC



χ^2_{1C} and π^0 Reconstruction

For Further Selection: Other criteria are used



Study of Peaking and Non- Peaking Background in $\chi_{cJ} \rightarrow \Sigma^- \overline{\Sigma}^+$ to measure the BF.

Event Selection to Minimized the Background

> Event Selection: $\psi' \rightarrow \pi^0 \pi^0 J/\psi$:



Extracted BKG Channel In Inclusive MC

| No. | decay chain | final states | iTopology | nEvt | nTot |
|-----|---|---|-----------|-------|-------|
| 0 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Sigma^- \overline{\Sigma}^+, \Sigma^- \rightarrow n\pi^-, \overline{\Sigma}^+ \rightarrow \overline{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 2 | 10511 | 10511 |
| 1 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \pi^0 \overline{\Delta}^- \Delta^-, \overline{\Delta}^- \rightarrow \overline{n} \pi^+, \Delta^- \rightarrow n \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 4 | 9966 | 20477 |
| 2 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \overline{\Delta}^- \pi^- n, \overline{\Delta}^- \rightarrow \overline{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 1 | 6526 | 27003 |
| 3 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow n\bar{n}\pi^+\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 0 | 4547 | 31550 |
| 4 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \overline{\Delta}^- \Delta^-, \overline{\Delta}^- \rightarrow \overline{n}\pi^+, \Delta^- \rightarrow n\pi^-$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n$ | 5 | 2815 | 34365 |
| 5 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \pi^- \Delta^0 \bar{\Delta}^-, \Delta^0 \rightarrow n \pi^0, \bar{\Delta}^- \rightarrow \bar{n} \pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 6 | 2526 | 36891 |
| 6 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \gamma \Sigma^- \overline{\Sigma}^+, \Sigma^- \rightarrow n\pi^-, \overline{\Sigma}^+ \rightarrow \overline{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n \gamma$ | 10 | 2120 | 39011 |
| 7 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \overline{\Sigma}^+ \pi^0 \Sigma^-, \overline{\Sigma}^+ \rightarrow \overline{n} \pi^+, \Sigma^- \rightarrow n \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 7 | 2088 | 41099 |
| 8 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \bar{n}\pi^+ \Delta^-, \Delta^- \rightarrow n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 8 | 1896 | 42995 |
| 9 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Sigma^+ \Sigma^{*-}, \Sigma^+ \rightarrow \bar{n}\pi^+, \Sigma^{*-} \rightarrow \Lambda \pi^-, \Lambda \rightarrow n\pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 3 | 1615 | 44610 |
| 10 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \overline{\Delta}^{++} \pi^0 \Delta^{++}, \overline{\Delta}^{++} \rightarrow \overline{p} \pi^-, \Delta^{++} \rightarrow p \pi^+$ | $\pi^{-}\bar{p}\pi^{0}\pi^{0}\pi^{0}\pi^{+}p$ | 11 | 1426 | 46036 |
| 11 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Delta^- \pi^+ \overline{\Delta}^0, \Delta^- \rightarrow n \pi^-, \overline{\Delta}^0 \rightarrow \overline{n} \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 9 | 1156 | 47192 |
| 12 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \bar{n}\pi^- \Delta^+, \Delta^+ \rightarrow n\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 12 | 1101 | 48293 |

Event Selection to Minimized the Background



Event Selection to Minimized the Background

$$\succ \text{Event Selection}: \quad \psi' \to \Sigma^- \overline{\Sigma}^+ \text{OR } \pi^0 \Sigma^- \overline{\Sigma}^+ \\ \checkmark \chi^2_{\Sigma^+ \overline{\Sigma}^-} > \chi^2_{\gamma \Sigma^+ \overline{\Sigma}^-}$$

Extracted BKG Channel In Inclusive MC

| No. | decay chain | final states | iTopology | nEvt | nTot |
|-----|--|-------------------------------|-----------|------|------|
| 0 | $\psi' \to \Sigma^- \bar{\Sigma}^+ \pi^0, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 0 | 3148 | 3148 |
| 1 | $\psi' \to \gamma \Sigma^- \bar{\Sigma}^+, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^- \bar{n}\pi^+ n\gamma$ | 2 | 487 | 3635 |
| 2 | $\psi' \to \Sigma^- \bar{\Sigma}^+, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^+ n$ | 1 | 476 | 4111 |

Background channel Extracted from Inclusive MC Sample

| No. | decay chain | final states | iTopology | nEvt | nTot |
|-----|---|---|------------------|------------|-------|
| 0 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \Sigma^- \bar{\Sigma}^+, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | <mark>44</mark> | 3616 | 3616 |
| 1 | $\psi' ightarrow \Delta^- \pi^0 \bar{\Delta}^-, \Delta^- ightarrow n \pi^-, \bar{\Delta}^- ightarrow \bar{n} \pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 19 | 2137 | 5753 |
| 2 | $\psi' ightarrow J/\psi \pi^0 \pi^0, J/\psi ightarrow ar{\Delta}^- \pi^- n, ar{\Delta}^- ightarrow ar{n} \pi^+$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n$ | 0 | 1922 | 7675 |
| 3 | $\psi' ightarrow J/\psi \pi^0 \pi^0, J/\psi ightarrow \pi^0 \bar{\Delta}^- \Delta^-, \bar{\Delta}^- ightarrow \bar{n} \pi^+, \Delta^- ightarrow n \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 8 | 1841 | 9516 |
| 4 | $\psi' ightarrow J/\psi \pi^0 \pi^0, J/\psi ightarrow n ar \pi^+ \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 31 | 1185 | 10701 |
| 5 | $\psi^{\prime} ightarrow \Sigma^{+} ar{\Sigma}^{+} \pi^{0}, \Sigma^{-} ightarrow n\pi^{-}, ar{\Sigma}^{+} ightarrow ar{n}\pi^{+}$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 2 | 865 | 11566 |
| 6 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \Delta^- \bar{\Delta}^-, \Delta^- \to n\pi^-, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n$ | <mark>73</mark> | 775 | 12341 |
| 7 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \Sigma^0 \bar{\Sigma}^+ \pi^-, \Sigma^0 \to \gamma \Lambda, \bar{\Sigma}^+ \to \bar{n} \pi^+, \Lambda \to n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 59 | 661 | 13002 |
| 8 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \gamma \Sigma^- \overline{\Sigma}^+, \Sigma^- \to n\pi^-, \overline{\Sigma}^+ \to \overline{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n \gamma$ | 163 163 | 628 | 13630 |
| 9 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow n\bar{n}$ | $\pi^- \bar{n} \pi^+ n$ | 406 | 624 | 14254 |
| 10 | $\psi' ightarrow J/\psi \pi^0 \pi^0, J/\psi ightarrow ar{\Delta}^- \Delta^0 \pi^-, ar{\Delta}^- ightarrow ar{n} \pi^+, \Delta^0 ightarrow n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 25 | 590 | 14844 |
| 11 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \gamma J/\psi, J/\psi \to \Sigma^- \bar{\Sigma}^+, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 33 | 569 | 15413 |
| 12 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \Delta^- \pi^+ \bar{n}, \Delta^- \to n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 117 117 | 555 | 15968 |
| 13 | $\psi' \to J/\psi\eta, J/\psi \to \Sigma^- \bar{\Sigma}^+, \eta \to \gamma\gamma, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 36 | 486 | 16454 |
| 14 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \bar{\Sigma}^+ \Sigma^{*-}, \bar{\Sigma}^+ \to \bar{n}\pi^+, \Sigma^{*-} \to \Lambda \pi^-, \Lambda \to n\pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 112 112 | 448 | 16902 |
| 15 | $\psi' \rightarrow \gamma \chi_{c1}, \chi_{c1} \rightarrow \gamma J/\psi, J/\psi \rightarrow \pi^0 \Delta^- \bar{\Delta}^-, \Delta^- \rightarrow n\pi^-, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 20 | 434 | 17336 |
| 16 | $\psi' \to \Delta^0 \bar{\Delta}^- \pi^-, \Delta^0 \to n \pi^0, \bar{\Delta}^- \to \bar{n} \pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 7 | 433 | 17769 |
| 17 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \bar{\Sigma}^+ \pi^0 \Sigma^-, \bar{\Sigma}^+ \to \bar{n}\pi^+, \Sigma^- \to n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 52 | 410 | 18179 |
| 18 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \bar{\Sigma}^+ \Sigma^- \pi^0, \bar{\Sigma}^+ \to \bar{n}\pi^+, \Sigma^- \to n\pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 133 | 409 | 18588 |
| 19 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \bar{n}n\eta, \eta \rightarrow \gamma\gamma$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 150 | 385 | 18973 |
| 20 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \gamma J/\psi, J/\psi \to \bar{\Delta}^- \pi^- n, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 110 | 358 | 19331 |
| 21 | $\psi' ightarrow J/\psi \pi^0 \pi^0, J/\psi ightarrow ar{n} \pi^- \Delta^+, \Delta^+ ightarrow n \pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | <mark>114</mark> | <u>339</u> | 19670 |
| 22 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \Sigma^0 \bar{\Sigma}^+ \pi^-, \Sigma^0 \to \gamma \Lambda, \bar{\Sigma}^+ \to \bar{n} \pi^+, \Lambda \to n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 207 | 330 | 20000 |
| 23 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \Sigma^0 \pi^- \bar{\Sigma}^+, \Sigma^0 \to \gamma \Lambda, \bar{\Sigma}^+ \to \bar{n} \pi^+, \Lambda \to n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 181 | 330 | 20330 |
| 24 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \eta \bar{n} n, \eta \rightarrow \pi^- \pi^+ \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 10 | 316 | 20646 |
| 25 | $\psi' \to \Delta^- \bar{\Delta}^-, \Delta^- \to n\pi^-, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^+ n$ | 68 | 314 | 20960 |
| 26 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \pi^- \Lambda \bar{\Sigma}^+, \Lambda \to n \pi^0, \bar{\Sigma}^+ \to \bar{n} \pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma$ | 22 | 310 | 21270 |
| 27 | $\psi' \to J/\psi \pi^+ \pi^-, J/\psi \to \bar{\Delta}^- \Delta^- \pi^0, \bar{\Delta}^- \to \bar{n}\pi^+, \Delta^- \to n\pi^-$ | $\pi^{-}\pi^{-}\bar{n}\pi^{0}\pi^{+}\pi^{+}n$ | 142 | 307 | 21577 |
| 28 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \Delta^- \bar{\Delta}^- \pi^0, \Delta^- \to n\pi^-, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 97 | 272 | 21849 |
| 29 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \bar{\Xi}^+ \Xi^-, \bar{\Xi}^+ \to \bar{\Lambda} \pi^+, \Xi^- \to \Lambda \pi^-, \bar{\Lambda} \to \bar{n} \pi^0, \Lambda \to n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 120 | 270 | 22119 |

| No. | decay chain | final states | iTopology | nEvt | nTot |
|-------|---|--|-----------|------|--------|
| 30 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \pi^- \Delta^- \Delta^0, \Delta^- \to \bar{n}\pi^+, \Delta^0 \to n\pi^0$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 37 | 270 | 22389 |
| 31 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \pi^0 \bar{\Delta}^{++} \Delta^{++}, \bar{\Delta}^{++} \to \bar{p}\pi^-, \Delta^{++} \to p\pi^+$ | $\pi^{-}\bar{p}\pi^{0}\pi^{0}\pi^{0}\pi^{0}\pi^{+}p$ | 229 | 263 | 22652 |
| 32 | $\psi' \to \bar{\Delta}^- \pi^- n, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{+}n$ | 225 | 257 | 22909 |
| 33 | $\psi' \to J/\psi\eta, J/\psi \to \bar{\Delta}^- \pi^0 \Delta^-, \eta \to \gamma\gamma, \bar{\Delta}^- \to \bar{n}\pi^+, \Delta^- \to n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 139 | 250 | 23159 |
| 34 | $\psi' \to J/\psi \pi^0 \pi^0, J/\psi \to \bar{\Delta}^0 \pi^+ \Delta^-, \bar{\Delta}^0 \to \bar{n} \pi^0, \Delta^- \to n \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 293 | 247 | 23406 |
| 35 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \pi^0 \bar{\Sigma}^+ \Sigma^-, \bar{\Sigma}^+ \to \bar{n} \pi^+, \Sigma^- \to n \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 174 | 247 | 23653 |
| 36 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \pi^0 n \bar{n}$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 327 | 245 | 23898 |
| 37 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \Sigma^- \overline{\Sigma}^+, \Sigma^- \rightarrow n\pi^-, \overline{\Sigma}^+ \rightarrow \overline{n}\pi^+$ | $\pi^{-}\pi^{-}\bar{n}\pi^{+}\pi^{+}n$ | 320 | 245 | 24143 |
| 38 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \eta \bar{n} n, \eta \rightarrow \pi^0 \pi^0 \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 130 | 243 | 24386 |
| 39 | $\psi' \rightarrow \gamma \chi_{c1}, \chi_{c1} \rightarrow \gamma J/\psi, J/\psi \rightarrow n\bar{n}\pi^+\pi^-$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 55 | 241 | 24627 |
| 40 | $\psi' ightarrow \gamma \Sigma^+ \overline{\Sigma}^+, \Sigma^- ightarrow n \pi^-, \overline{\Sigma}^+ ightarrow ar{n} \pi^+$ | $\pi^- \bar{n} \pi^+ n \gamma$ | 186 | 239 | 24866 |
| 41 | $\psi' \rightarrow J/\psi\eta, J/\psi \rightarrow \bar{\Delta}^-\pi^-n, \eta \rightarrow \gamma\gamma, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 146 | 230 | 25096 |
| 42 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \Sigma^- \bar{\Sigma}^+ \pi^0, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 30 | 227 | 25323 |
| 43 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to n\pi^- \bar{\Delta}^-, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{+}n\gamma$ | 215 | 224 | 25547 |
| 44 | $\psi' \rightarrow \gamma \chi_{c0}, \chi_{c0} \rightarrow p \bar{\Lambda} K^{*-}, \bar{\Lambda} \rightarrow \bar{p} \pi^+, K^{*-} \rightarrow \bar{K}^0 \pi^-$ | $\pi^- \bar{p} K_L \pi^+ \gamma p$ | 86 | 215 | 25762 |
| 45 | $\psi' \rightarrow \gamma \chi_{c0}, \chi_{c0} \rightarrow \phi K^{*-} K^{*+}, \phi \rightarrow K^+ K^-, K^{*-} \rightarrow \bar{K}^0 \pi^-, K^{*+} \rightarrow K^0 \pi^+$ | $\pi^- K^- K_L K_L \pi^+ \gamma K^+$ | 69 | 204 | 25966 |
| 46 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \pi^0 K^{*+} K^{*-}, K^{*+} \to K^0 \pi^+, K^{*-} \to \bar{K}^0 \pi^-$ | $\pi^-\pi^0 K_L K_L \pi^+ \gamma$ | 135 | 201 | 26167 |
| 47 | $\psi' \to \Sigma^- \bar{\Sigma}^+, \Sigma^- \to n\pi^-, \bar{\Sigma}^+ \to \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^+ n$ | 692 | 196 | -26363 |
| 48 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow n\pi^- \bar{\Delta}^-, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^-\pi^-\bar{n}\pi^+\pi^+n$ | 621 | 190 | 26553 |
| 49 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Delta^+ \pi^- \bar{\Delta}^0, \Delta^+ \rightarrow n\pi^+, \bar{\Delta}^0 \rightarrow \bar{n}\pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 663 | 189 | 26742 |
| 50 | $\psi' \rightarrow pK^{*-}\overline{\Lambda}, K^{*-} \rightarrow \overline{K}^{0}\pi^{-}, \overline{\Lambda} \rightarrow \overline{p}\pi^{+}$ | $\pi^- \bar{p} K_L \pi^+ p$ | 78 | 187 | 26929 |
| 51 | $\psi' \rightarrow \gamma \chi_{c2}, \chi_{c2} \rightarrow \Delta^- \pi^0 \bar{\Delta}^-, \Delta^- \rightarrow n\pi^-, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 173 | 187 | 27116 |
| 52 | $\psi' \rightarrow K^{*-}n\bar{\Sigma}^+, K^{*-} \rightarrow \bar{K}^0\pi^-, \bar{\Sigma}^+ \rightarrow \bar{n}\pi^+$ | $\pi^- \bar{n} K_L \pi^+ n$ | 65 | 186 | 27302 |
| 53 | $\psi' \rightarrow J/\psi\eta, J/\psi \rightarrow \overline{\Sigma}^+ \Sigma^-, \eta \rightarrow \pi^0 \pi^0 \pi^0, \overline{\Sigma}^+ \rightarrow \overline{n}\pi^+, \Sigma^- \rightarrow n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 103 | 186 | 27488 |
| 54 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \gamma J/\psi, J/\psi \to \bar{\Sigma}^+ \Sigma^-, \bar{\Sigma}^+ \to \bar{n}\pi^+, \Sigma^- \to n\pi^-$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 640 | 183 | 27671 |
| 55 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \Lambda \bar{\Sigma}^+ \pi^-, \Lambda \to n \pi^0, \bar{\Sigma}^+ \to \bar{n} \pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 5 | 179 | 27850 |
| 56 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \Lambda \bar{\Sigma}^+ \pi^-, \Lambda \to n \pi^0, \bar{\Sigma}^+ \to \bar{n} \pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 165 | 170 | 28020 |
| 57 | $\psi' \rightarrow \gamma \chi_{c1}, \chi_{c1} \rightarrow p \overline{\Lambda} K^{*-}, \overline{\Lambda} \rightarrow \overline{p} \pi^+, K^{*-} \rightarrow \overline{K}^0 \pi^-$ | $\pi^- \bar{p} K_L \pi^+ \gamma p$ | 502 | 169 | 28189 |
| 55/62 | $1\psi/2 \Theta \chi_{c2} \rightarrow \gamma J/\psi, J/\psi \rightarrow \Delta^- \pi^0 \bar{\Delta}^-, \Delta^- \rightarrow n\pi^-, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma \gamma$ | 71 | 168 | 28357 |
| 59 | $\overline{\psi}^{\prime} \rightarrow J/\overline{\psi}\eta, J/\psi \rightarrow n\bar{n}\pi^{+}\pi^{-}, \eta \rightarrow \gamma\gamma$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 491 | 160 | 28517 |
| | | | | | |

Categorization of the BKG In Inclusive MC



Normalization const. calculated = 5083 evens by using Preliminary result of BF $\psi' \rightarrow \Sigma^- \overline{\Sigma}^+$ considering to be (2.69 ± 0.03)*10⁻⁴ Reported by : Dr.Xiaorong (USTC).

Signal MC Efficiency

| No. of Obs. | Selection Criteria | Survived Events | Percentage Efficiency % | Percentage Total Efficiency % |
|----------------|---|--------------------|----------------------------|----------------------------------|
| 01. | 1. Total Number 1000000 100 | | 100 | 100 |
| 02. | Charge Track cut | 644720 | 65 | 65 |
| 03. | EMC Shower cut | 513507 | 79.6 | 51.4 |
| 04. | Nbar Shower cut | 513507 | 79.6 | 51.4 |
| 05. | Pass PID | 484992 | 75.3 | 48.6 |
| 06. | Pass KM Fit | 319121 | 62.1 | 31.9 |

Rate of Cut Flow for chi_c0 After KM Fit

| All: | = | 319121 |
|--|---|--------|
| mpi0<0.12 && >0.15: | = | 275206 |
| mpippim<1.2: | = | 275198 |
| mpippim-0.497 >0.01: | = | 263681 |
| mrecpip-3.097 >0.01: | = | 254987 |
| msigmam<1.5: | = | 251648 |
| <pre>mchicJ <3.6 mchicJ >3.3:</pre> | = | 244733 |
| mchisq<20: | = | 221767 |
| mchisq1>chisq: | = | 169194 |
| nbar_energy>0.2: | = | 168840 |
| nbar_hit_40d>20: | = | 154326 |
| nbar_secmom >20: | = | 128423 |
| gam_match>10: | = | 96015 |

Tot. Signal MC Efficiency = 9.6 %

Invariant Mass of χ_{cJ} and Σ^-



2D Scatter Plot for Data



Measurement of Branching Fractions of $\chi_{c0,1,2} \rightarrow \Sigma^- \overline{\Sigma}^+$

Extraction of Signal

- There are peaking background in both Σ^- and χ_{cJ} mass spectrum.
- The constitution of peaking backgrounds are complex.
- Here, we fit the $\mathbf{M}(\boldsymbol{\chi}_{cJ})$ in each $\boldsymbol{\Sigma}^-$ mass interval of data and extracted the number of signal events of $N_{\boldsymbol{\chi}_{c0}}$, $N_{\boldsymbol{\chi}_{c1}}$, $N_{\boldsymbol{\chi}_{c2}}$.



Preliminary Fitting Results







Numerical Result for Branching Fractions of $\chi_{cI} \rightarrow \Sigma^- \overline{\Sigma}^+$

•
$$\mathfrak{B}(\chi_{cJ} \to \Sigma^{-}\overline{\Sigma}^{+}) = \frac{N_{\chi_{cJ}}^{Obs.}}{N_{\psi_{data}}^{\psi_{data}} \mathfrak{B}(\psi' \to \gamma \chi_{cJ}) \mathfrak{B}(\Sigma^{-} \to n \pi^{-}) \mathfrak{B}(\overline{\Sigma}^{+} \to \overline{n}\pi^{+}) \epsilon_{J}}$$

Number used to Calculate the Branching Fractions:

| Channel | $\chi_{c0} 	o \Sigma^- \overline{\Sigma}^+$ | $\chi_{c1} 	o \Sigma^- \overline{\Sigma}^+$ | $\chi_{c2} 	o \Sigma^- \overline{\Sigma}^+$ |
|--|---|---|---|
| N ^{Obs.} | 2141 ± 115 | 210 ± 56 | 126 ± 43 |
| Efficiency(<i>ε_J</i>) % | 9.6 | 8.6 | 6.99 |
| $N_{\psi_{data}'}(\mathbf{M})$ | 448.1 | 448.1 | 448.1 |
| $\mathfrak{B}(oldsymbol{\psi}' 	o oldsymbol{\gamma} oldsymbol{\chi}_{cJ})$ % | 9.99 | 9.55 | 9.11 |
| $\mathfrak{B}(\varSigma^- 	o n \ \pi^-)\%$ | 99.848 | 99.848 | 99.848 |
| $\mathfrak{B}ig(\overline{arsigma}^+ 	o \overline{n} \pi^+ig)\%$ | 99.848 | 99.848 | 99.848 |

1. $\mathfrak{B}(\chi_{c0} \to \Sigma^- \overline{\Sigma}^+) = 4.99 \pm 0.3 * 10^{-4}$ in PDG 3.9 * 10⁻⁴

2. $\mathfrak{B}(\chi_{c1} \to \Sigma^- \overline{\Sigma}^+) = 5.7 \pm 1.5 * 10^{-5}$ in PDG < 6 * 10⁻⁵

This result taken from $\chi_{c0} \rightarrow \Sigma^+ \overline{\Sigma}^-$ just as a Reference

3. $\mathfrak{B}(\chi_{c2} \to \Sigma^- \overline{\Sigma}^+) = 4.4 \pm 1.5 * 10^{-5}$ in PDG < 7 * 10⁻⁵

| Channel | This work | PDG | Previous BESIII [6] | CLEO 5 | Theory | $\mathcal{B}_{\mathrm{prod}}$ |
|---|------------------------|----------|-------------------------------|--------------------|--------------------|-------------------------------|
| $\chi_{c0} \to \Sigma^+ \bar{\Sigma}^-$ | $50.4 \pm 2.5 \pm 2.7$ | 39 ± 7 | $43.7\pm4.0\pm2.8$ | $32.5\pm5.7\pm4.3$ | 5.5-6.9 <u>[3]</u> | $4.99 \pm 0.24 \pm 0.24$ |
| $\chi_{c1} \to \Sigma^+ \bar{\Sigma}^-$ | $3.7\pm0.6\pm0.2$ | < 6 | $5.2 \pm 1.3 \pm 0.5 (< 8.3)$ | < 6.5 | 3.3[4] | $0.35 \pm 0.06 \pm 0.02$ |
| $\chi_{c2} \to \Sigma^+ \bar{\Sigma}^-$ | $3.5\pm0.7\pm0.3$ | < 7 | $4.7 \pm 1.8 \pm 0.7 (< 8.4)$ | < 6.7 | 5.0 [4] | $0.32 \pm 0.06 \pm 0.03$ |

Ref: https://arxiv.org/abs/1710.07922

Summary and Next to Do...

- ➢ By Reconstruction γnππ⁺π[−] final states, the process of χ_{cJ} → Σ[−]Σ⁺ are observed for the first time.
- ➤ The signal is extracted by *bin-by-bin* fit of χ_{cJ} mass spectra in each Σ^- mass interval.
- > The branching fractions of $\chi_{cJ} \rightarrow \Sigma^- \overline{\Sigma}^+$ are given which are consistent with
 - $\chi_{cJ} \rightarrow \Sigma^+ \overline{\Sigma}^-$ process.

> Systematic uncertainty study is ongoing.

Thank you for your Attention

Backup

Background channel Extracted from Inclusive MC Sample

| No. | decay chain | final states | iTopology | nEvt | nTot |
|-----|--|---|----------------|------|-------|
| 0 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Delta^- \bar{n} \pi^+, \Delta^- \rightarrow n \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 17 | 1716 | 1716 |
| 1 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \overline{\Delta}^- \Delta^- \pi^0, \overline{\Delta}^- \rightarrow \overline{n} \pi^+, \Delta^- \rightarrow n \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 32 | 1292 | 3008 |
| 2 | $\psi' \to \Sigma^+ \bar{\Sigma}^-, \Sigma^+ \to n\pi^+, \bar{\Sigma}^- \to \bar{n}\pi^-$ | $\pi^{-}\bar{n}\pi^{+}n$ | 33 | 1262 | 4270 |
| 3 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow n\bar{n}\pi^+\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 11 | 1177 | 5447 |
| 4 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Sigma^+ \overline{\Sigma}^-, \Sigma^+ \rightarrow n\pi^+, \overline{\Sigma}^- \rightarrow \overline{n}\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 70 | 897 | 6344 |
| 5 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow n\bar{n}$ | $\pi^- \bar{n} \pi^+ n$ | 15 | 652 | 6996 |
| 6 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \pi^+ \Delta^- \overline{\Delta}^0, \Delta^- \rightarrow n\pi^-, \overline{\Delta}^0 \rightarrow \overline{n}\pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 4 | 529 | 7525 |
| 7 | $\psi' \rightarrow \Delta^- \pi^0 \bar{\Delta}^-, \Delta^- \rightarrow n\pi^-, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 80 | 410 | 7935 |
| 8 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow n\pi^- \overline{\Delta}^-, \overline{\Delta}^- \rightarrow \overline{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 200 | 379 | 8314 |
| 9 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow n\pi^+ \overline{\Delta}^+, \overline{\Delta}^+ \rightarrow \overline{n}\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 90 | 375 | 8689 |
| 10 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \bar{n}n\eta, \eta \rightarrow \gamma\gamma$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 122 | 368 | 9057 |
| 11 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \gamma J/\psi, J/\psi \to \Delta^- \pi^+ \bar{n}, \Delta^- \to n\pi^-$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 280 280 | 339 | 9396 |
| 12 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \pi^0 \Sigma^+ \overline{\Sigma}^-, \Sigma^+ \to n \pi^+, \overline{\Sigma}^- \to \overline{n} \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 82 | 338 | 9734 |
| 13 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \eta n \bar{n}, \eta \rightarrow \pi^- \pi^+ \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 116 | 289 | 10023 |
| 14 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \gamma J/\psi, J/\psi \to \pi^0 \Delta^- \bar{\Delta}^-, \Delta^- \to n\pi^-, \bar{\Delta}^- \to \bar{n}\pi^+$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | <mark>9</mark> | 284 | 10307 |
| 15 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \Sigma^0 \overline{\Sigma}^- \pi^+, \Sigma^0 \to \gamma \Lambda, \overline{\Sigma}^- \to \overline{n} \pi^-, \Lambda \to n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 104 | 265 | 10572 |
| 16 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \overline{\Delta}^- \Delta^- \pi^0, \overline{\Delta}^- \rightarrow \overline{n} \pi^+, \Delta^- \rightarrow n \pi^-$ | $\pi^{-}\pi^{-}\bar{n}\pi^{0}\pi^{+}\pi^{+}n$ | 118 | 246 | 10818 |
| 17 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \pi^0 \bar{n} n$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 170 | 235 | 11053 |
| 18 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \gamma J/\psi, J/\psi \to n\bar{n}\pi^+\pi^-$ | $\pi^{-}\bar{n}\pi^{+}n\gamma\gamma$ | 273 | 232 | 11285 |
| 19 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Delta^{++} \overline{\Delta}^{++} \pi^0, \Delta^{++} \rightarrow p \pi^+, \overline{\Delta}^{++} \rightarrow \overline{p} \pi^-$ | $\pi^{-}\bar{p}\pi^{0}\pi^{0}\pi^{0}\pi^{+}p$ | 236 | 228 | 11513 |
| 20 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \Sigma^+ \overline{\Sigma}^- \pi^0, \Sigma^+ \to n\pi^+, \overline{\Sigma}^- \to \overline{n}\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma$ | 43 | 227 | 11740 |
| 21 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \Sigma^+ \overline{\Sigma}^- \pi^0, \Sigma^+ \to n\pi^+, \overline{\Sigma}^- \to \overline{n}\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma$ | 40 | 227 | 11967 |
| 22 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \overline{\Sigma}^- \Sigma^{*+}, \overline{\Sigma}^- \rightarrow \overline{n} \pi^-, \Sigma^{*+} \rightarrow \Lambda \pi^+, \Lambda \rightarrow n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 27 | 221 | 12188 |
| 23 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \bar{n}n\eta, \eta \rightarrow \pi^0 \pi^0 \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 25 | 217 | 12405 |
| 24 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to K^{\bullet +} \Lambda \bar{p}, K^{\bullet +} \to K^0 \pi^+, \Lambda \to p \pi^-$ | $\pi^- \bar{p} K_L \pi^+ \gamma p$ | 215 | 214 | 12619 |
| 25 | $\psi' \rightarrow J/\psi\eta, J/\psi \rightarrow \bar{n}\Delta^-\pi^+, \eta \rightarrow \gamma\gamma, \Delta^- \rightarrow n\pi^-$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 81 | 212 | 12831 |
| 26 | $\psi' \to \Sigma^+ \pi^0 \bar{\Sigma}^-, \Sigma^+ \to n \pi^+, \bar{\Sigma}^- \to \bar{n} \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 343 | 211 | 13042 |
| 27 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \pi^+ \Delta^0 \bar{\Delta}^+, \Delta^0 \rightarrow n \pi^0, \bar{\Delta}^+ \rightarrow \bar{n} \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 0 | 203 | 13245 |
| 28 | $\psi' \rightarrow \Sigma^{*+} \overline{\Sigma}^{*-}, \Sigma^{*+} \rightarrow \Lambda \pi^+, \overline{\Sigma}^{*-} \rightarrow \overline{\Lambda} \pi^-, \Lambda \rightarrow n \pi^0, \overline{\Lambda} \rightarrow \overline{n} \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 14 | 196 | 13441 |
| 29 | $\psi' \rightarrow \gamma \chi_{c0}, \chi_{c0} \rightarrow K^{*-} \pi^0 K^{*+}, K^{*-} \rightarrow \bar{K}^0 \pi^-, K^{*+} \rightarrow K^0 \pi^+$ | $\pi^{-}\pi^{0}K_{L}K_{L}\pi^{+}\gamma$ | 209 | 187 | 13628 |

| No. | decay chain | final states | iTopology | nEvt | nTot |
|------|--|---|------------|------|-------|
| - 30 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to K^{\bullet+} K^{\bullet-} \phi, K^{\bullet+} \to K^0 \pi^+, K^{\bullet-} \to \bar{K}^0 \pi^-, \phi \to K^+ K^-$ | $\pi^- K^- K_L K_L \pi^+ \gamma K^+$ | 79 | 180 | 13808 |
| 31 | $\psi' \rightarrow J/\psi\eta, J/\psi \rightarrow \Delta^-\pi^0 \bar{\Delta}^-, \eta \rightarrow \gamma\gamma, \Delta^- \rightarrow n\pi^-, \bar{\Delta}^- \rightarrow \bar{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma \gamma$ | 206 | 178 | 13986 |
| 32 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \gamma \Sigma^- \overline{\Sigma}^+, \Sigma^- \rightarrow n\pi^-, \overline{\Sigma}^+ \rightarrow \overline{n}\pi^+$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n \gamma$ | 114 | 174 | 14160 |
| 33 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \gamma \Sigma^+ \overline{\Sigma}^-, \Sigma^+ \rightarrow n \pi^+, \overline{\Sigma}^- \rightarrow \overline{n} \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n \gamma$ | 195 | 174 | 14334 |
| 34 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \tilde{\Delta}^- \Delta^0 \pi^-, \tilde{\Delta}^- \rightarrow \bar{n}\pi^+, \Delta^0 \rightarrow n\pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 164 | 168 | 14502 |
| 35 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Lambda \overline{\Sigma}^- \pi^+, \Lambda \rightarrow n \pi^0, \overline{\Sigma}^- \rightarrow \overline{n} \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 102 | 167 | 14669 |
| 36 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \Delta^- \bar{n}\pi^+, \Delta^- \rightarrow n\pi^-$ | $\pi^{-}\pi^{-}\bar{n}\pi^{+}\pi^{+}n$ | 78 | 165 | 14834 |
| 37 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to K^{\bullet +} \Lambda \bar{p}, K^{\bullet +} \to K^0 \pi^+, \Lambda \to p \pi^-$ | $\pi^{-}\bar{p}K_{L}\pi^{+}\gamma p$ | 283 | 164 | 14998 |
| 38 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \pi^+ \Delta^- \bar{n}, \Delta^- \to n\pi^-$ | $\pi^{-}\bar{n}\pi^{+}n\gamma$ | 342 342 | 155 | 15153 |
| 39 | $\psi' \rightarrow \bar{n}n\eta', \eta' \rightarrow \pi^+\pi^-\eta, \eta \rightarrow \gamma\gamma$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 12 | 154 | 15307 |
| 40 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow \bar{\Delta}^0 \pi^0 \Delta^0, \bar{\Delta}^0 \rightarrow \bar{n} \pi^0, \Delta^0 \rightarrow n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 228 | 150 | 15457 |
| 41 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \Sigma^+ \Sigma^-, \Sigma^+ \rightarrow \bar{n}\pi^+, \Sigma^- \rightarrow n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{+}n$ | 296 | 148 | 15605 |
| 42 | $\psi' \rightarrow J/\psi\eta, J/\psi \rightarrow n\bar{n}\pi^+\pi^-, \eta \rightarrow \gamma\gamma$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 44 | 147 | 15752 |
| 43 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \bar{\Sigma}^+ \Sigma^- \pi^0, \bar{\Sigma}^+ \rightarrow \bar{n}\pi^+, \Sigma^- \rightarrow n\pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{0}\pi^{0}\pi^{+}n$ | 261 | 142 | 15894 |
| 44 | $\psi' \rightarrow \pi^+ \overline{\Delta}{}^0 \Delta^-, \overline{\Delta}{}^0 \rightarrow \overline{n} \pi^0, \Delta^- \rightarrow n \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 558 | 142 | 16036 |
| 45 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \Sigma^0 \pi^+ \bar{\Sigma}^-, \Sigma^0 \to \gamma \Lambda, \bar{\Sigma}^- \to \bar{n} \pi^-, \Lambda \to n \pi^0$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma \gamma$ | 111 | 141 | 16177 |
| 46 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \Lambda \pi^+ \Sigma^-, \Lambda \to n \pi^0, \Sigma^- \to \bar{n} \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n \gamma$ | 103 | 141 | 16318 |
| 47 | $\psi' \rightarrow \Delta^0 \bar{\Delta}^+ \pi^+, \Delta^0 \rightarrow n\pi^0, \bar{\Delta}^+ \rightarrow \bar{n}\pi^-$ | $\pi^- \bar{n} \pi^0 \pi^+ n$ | 746 | 140 | 16458 |
| 48 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \gamma J/\psi, J/\psi \to \Sigma^+ \bar{\Sigma}^-, \Sigma^+ \to n\pi^+, \bar{\Sigma}^- \to \bar{n}\pi^-$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 548 | 138 | 16596 |
| 49 | $\psi' \rightarrow J/\psi \pi^+ \pi^-, J/\psi \rightarrow n\bar{n}\pi^+\pi^-$ | $\pi^{-}\pi^{-}n\pi^{+}\pi^{+}n$ | 22 | 136 | 16732 |
| 50 | $\psi' \to \gamma \chi_{c1}, \chi_{c1} \to \pi^+ \Sigma^0 \Sigma^-, \Sigma^0 \to \gamma \Lambda, \Sigma^- \to \bar{n} \pi^-, \Lambda \to n \pi^0$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma\gamma$ | 225 | 136 | 16868 |
| 51 | $\psi' \to J/\psi\eta, J/\psi \to \Sigma^+\Sigma^-, \eta \to \gamma\gamma, \Sigma^+ \to n\pi^+, \Sigma^- \to \bar{n}\pi^-$ | $\pi^- \bar{n}\pi^+ n\gamma\gamma$ | 520 | 133 | 17001 |
| 52 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow n \eta' \bar{n}, \eta' \rightarrow \rho^0 \gamma, \rho^0 \rightarrow \pi^+ \pi^-$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n \gamma$ | 420 | 133 | 17134 |
| 53 | $\psi' \to \gamma \chi_{c2}, \chi_{c2} \to \bar{p}\Lambda K^{*+}, \Lambda \to p\pi^-, K^{*+} \to K^0\pi^+$ | $\pi^- \bar{p} K_L \pi^+ \gamma p$ | 38 | 132 | 17266 |
| 54 | $\psi' \to \gamma \chi_{c0}, \chi_{c0} \to \Delta^0 \pi^+ \Delta^+, \Delta^0 \to n \pi^0, \Delta^+ \to \bar{n} \pi^-$ | $\pi^{-}\bar{n}\pi^{0}\pi^{+}n\gamma$ | 411 411 | 130 | 17396 |
| 55 | $\psi' \rightarrow \Lambda \bar{p}K^{*+}, \Lambda \rightarrow p\pi^{-}, K^{*+} \rightarrow K^{0}\pi^{+}$ | $\pi^- \bar{p} K_L \pi^+ p$ | 47 | 128 | 17524 |
| 56 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow \pi^+ \pi^- \pi^0 K^+ K^-$ | $\pi^- K^- \pi^0 \pi^0 \pi^0 \pi^+ K^+$ | 115 | 128 | 17652 |
| 57 | $\psi' \rightarrow J/\psi \pi^0 \pi^0, J/\psi \rightarrow p\bar{p}\pi^+\pi^-$ | $\pi^- \bar{p} \pi^0 \pi^0 \pi^+ p$ | 39 | 125 | 17777 |
| 58 | $\psi' \rightarrow \Delta^- \pi^- n, \Delta^- \rightarrow \bar{n}\pi^+$ | $\pi^- \bar{n}\pi^+ n$ | 109 | 122 | 17899 |
| 59 | $\psi'_{\underline{-}} \chi_{\underline{c}0}, \chi_{\underline{c}0}, \chi_{\underline{c}0}, \chi_{\underline{c}0}, \chi_{\underline{c}0}, \chi_{\underline{c}0}, \chi_{\underline{c}0}, \mu_{\underline{c}}, \mu_{$ | $\pi^- \bar{n} \pi^0 \pi^0 \pi^+ n \gamma$ | 318 318 | 120 | 18019 |
| | 5/21/2010 | | | | |

Data with Inclusive MC after All sections



Categorization of the BKG In Inclusive MC





Preliminary Fitting Results of Inclusive MC



Difference of Signal events to Sideband events (1). Difference of Signal Events around chi_c0 = $1204 - 940 = 264 \pm 31$ (2). Difference of Signal Events around chi_c1 = $1027 - 1042 = -15 \pm 11$ (3). Difference of Signal Events around chi_c2 = $622 - 732 = -110 \pm 10$

Preliminary Fitting Result of Data



Difference of Signal events to Sideband events (1). Difference of Signal Events around chi_c0 = 1359- 877 = 482 ± 44 (2). Difference of Signal Events around chi_c1 = 720 - 647 = 73 ± 23 (3). Difference of Signal Events around chi_c2 = $585 - 563 = 22 \pm 21$

Numerical Result for Branching Fractions of χ_{cI}

•
$$\mathfrak{B}(\chi_{cJ} \to \Sigma^+ \overline{\Sigma}^-) = \frac{N_{\chi_{cJ}}^{Obs.}}{N_{\psi_{data}}^{\prime} \mathfrak{B}(\psi^{\prime} \to \gamma \chi_{cJ}) \mathfrak{B}(\Sigma^+ \to n \pi^+) \mathfrak{B}(\overline{\Sigma}^- \to \overline{n} \pi^-) \epsilon_J}$$

Number used to Calculate the Branching Fractions:

| Channel | $\chi_{c0} 	o \Sigma^+ \overline{\Sigma}^-$ | $\chi_{c1} 	o \Sigma^+ \overline{\Sigma}^-$ | $\chi_{c2} 	o \Sigma^+ \overline{\Sigma}^-$ |
|--|---|---|---|
| N ^{Obs.} | 482 | 73 | 22 |
| Efficiency(<i>ε_J</i>) % | 9.97 | 8.94 | 7.27 |
| $N_{\psi_{data}'}$ (M) | 448.1 | 448.1 | 448.1 |
| $\mathfrak{B}(oldsymbol{\psi}' 	o oldsymbol{\gamma} oldsymbol{\chi}_{cJ})$ % | 9.99 | 9.55 | 9.11 |
| $\mathfrak{B}(\varSigma^+ 	o n \ \pi^+)\%$ | 48.31 | 48.31 | 48.31 |
| $\mathfrak{B}ig(\overline{arsigma}^- 	o \overline{n} \pi^-ig)\%$ | 48.31 | 48.31 | 48.31 |

1. $\mathfrak{B}(\chi_{c0} \to \Sigma^+ \overline{\Sigma}^-) = (4.6 \pm 0.4) * 10^{-4}$ in PDG 3.9 * 10⁻⁴

2. $\mathfrak{B}(\chi_{c1} \to \Sigma^+ \overline{\Sigma}^-) = (8.2 \pm 2.5) * 10^{-5}$ in PDG < 6 * 10⁻⁵

3. $\mathfrak{B}(\gamma_{c2} \to \Sigma^+ \overline{\Sigma}^-) = (3.2 + 3.2) * 10^{-5}$ in PDG < 7 * 10⁻⁵

| Channel | This work | PDG | Previous BESIII <u>[6]</u> | CLEO $[5]$ | Theory | $\mathcal{B}_{\mathrm{prod}}$ |
|---|------------------------|----------|-------------------------------|--------------------|--------------------|-------------------------------|
| $\chi_{c0} \to \Sigma^+ \bar{\Sigma}^-$ | $50.4 \pm 2.5 \pm 2.7$ | 39 ± 7 | $43.7\pm4.0\pm2.8$ | $32.5\pm5.7\pm4.3$ | 5.5-6.9 <u>[3]</u> | $4.99 \pm 0.24 \pm 0.24$ |
| $\chi_{c1} \rightarrow \Sigma^+ \bar{\Sigma}^-$ | $3.7\pm0.6\pm0.2$ | < 6 | $5.2 \pm 1.3 \pm 0.5 (< 8.3)$ | < 6.5 | 3.3 4 | $0.35 \pm 0.06 \pm 0.02$ |
| $\chi_{c2} \to \Sigma^+ \bar{\Sigma}^-$ | $3.5\pm0.7\pm0.3$ | < 7 | $4.7 \pm 1.8 \pm 0.7 (< 8.4)$ | < 6.7 | 5.0 <u>[4]</u> | $0.32 \pm 0.06 \pm 0.03$ |

Ref: https://arxiv.org/abs/1710.07922